

Artificial Intelligence (AI)-Powered Line Follower Robot with Hurdle Detection and Voice Control

Rana Qamar Hayat^{1*}, Fida Hussain¹, Umer Masood²

¹Research Scholar, Faculty of Computing, University of Okara, Pakistan

²Research Scholar, Faculty of Computing, University of Education Lahore, Pakistan

*ranaqamarhayat@gmail.com

DOI : <https://doi.org/10.51583/IJLTEMAS.2024.131109>

Received: 27 November 2024; Accepted: 02 December 2024; Published: 05 December 2024

Abstract: In this paper, we propose a voice controlled line following robot with the ability to trace the set path and avoid hurdles while moving autonomously. Line-following robots have been around for decades, but this setup uses AI algorithms and fresnel lenses to improve accuracy. More Traditional line-following robots often face drawbacks in dealing with intricate environments, but those are addressed here via user control over voice recognition, as-well-as obstacle detection through ultrasonic sensors. The robot is controlled over an Arduino UNO microcontroller and the (advance) features that it offers allows the robot to operate independently with lesser human interactions, the applications of such a robot will span across Transportation & logistics, Industrial Automation and Personal Assistance. This study reveals the potential of this robot to improve precision and flexibility in a realistic usage condition, thereby providing an important tool for automation with safety and productivity.

Keywords: Artificial Intelligence, Line follower, Robot, Hurdle Detection, Ultrasonic Sensor, Voice Control

I. Introduction

The rapid development of artificial intelligence (AI) has transformed nearly every sector including robotics. In this study, a new robotic system is designed for the purpose of improving the efficiency and safety of transportation and logistics tasks. Focusing on significantly reducing the presence of humans, this robot integrates several advanced line following features, obstacle avoiding capabilities, and vocal controls to optimize performance.

Generally, robots that follow lines are mostly used for straightforward and simple tasks, and do not perform well in more demanding settings that have many obstacles. To overcome this limitation, a forward-looking robot has integrated artificial intelligence technology which helps it follow an assigned route while avoiding possible collisions. By doing so in an intelligent manner, the robot feels no barriers and continues operating without damage or throwing behaviors.

In additional control, voice control system is quite more sophisticated and easy to use. It is because, instead of buttons, this robot can respond to user commands and be directed inside the operational space for various tasks. Such feature, also enhances her usability in the healthcare industry, which is replete with verbal instructions.

Purpose of the Project

For the purpose of creating an intelligent robotic system that can distinguish caution zones within industrial spaces and move along pre-determined paths while avoiding obstacles and obeying voice commands. This system intends to provide improvements in the efficiency, security and flexibility of material handling activities in factories.

Applications of the Project

- **Hospitality:** The effectiveness and security are furthermore improved in hospitality industry by means of robots, since they can deliver food and drink to guests, cut down medical staff interactions, and do room service.
- **Industrial:** It may also bridge gaps in factory processes by moving parts from one workstation to another, delivering documents and mail within the US and other places, or helping with mining.
- **Personal:** Also the robot may act as a personal aid, by bringing items of interest from the given place, and it may also provide entertainment in the form of games.

Theoretical bases and Organization

The design of this autonomous robot makes it capable of moving along any set path, avoiding any obstructions, and following voice commands allowing it to be useful in a variety of fields. This system does not depend on Bluetooth or Wi-Fi controlled robots and can work over long ranges without any operator. The effective working of the robot can be carried out by using several advanced tools such as sensors, AI algorithms, and voice recognition.

II. Literature Review

Most of the research applied in existing literature for line-following robots has been on basic features such as path following and reacting to hurdles. Though they serve as a basis in the quest for theoretical studies, they have at some point operated in manual

modes or with basic artificial intelligence. With the improvement of the level of artificial intelligence and more advanced sensor technologies, a more complex robot has been developed that can perform specific assignments and interact with its surroundings more intelligently.

Line Following Robots: In the scope of line following applications prior research has been done with optical sensors, magnetic markers and infrared line following. The works of Kriti Bhagat et al. and Subranil Som and Arjun Shome showed that microcontrollers can be employed in the line-following robots for navigation and obstacle avoidance. There has also been work done by M. S. Islam and M. A. Rahman, Prananjali Koppad and Vishnu Agarwal and S. Akash a. et al that examined the use of sensors and controllers in proportionally accurate tracking of lines.

Obstacle Detection – An obstacle detection feature has always been present in line tracking robots. However, newer works address the concern of the improvement of obstacle avoidance systems and strategies. Work has been done incorporating ultrasonic sensors, infrared sensors and computer vision methods to help the robot avoid running into obstacles.

Voice Control – The use of voice control technology in robots is an enormous enhancement in the way they can be employed as a man-machine interface. Although few lines of research have been done on voice controlled line following robots, significant development in natural language processing and speech recognition makes these changes possible.

AI-Powered Line Followers – The trend of combining the abilities of line following, obstacle detection, in addition to voice control capabilities and Artificial Intelligence is expected to develop many smart and multi-functional robots. AI allows the robots to operate in a completely new way, i.e. self-learning robots, where they learn from their mistakes, and take action based on the situation in their environment. This research is aimed at making AI line following robots able to achieve autonomously and efficiently more complex tasks than present.

Their Limitations and Bottlenecks

The existing research regarding line follower, obstacle avoidance and voice control robots is lacking in certain areas:

- **Line Following Robot:** Lack of human guidance to maintain a path makes one rugged and insecure Also robots' do tend to stray and go off the paths when a strip of color is to be followed. Limited ability to counter the environmental restrictions.
- **Obstacle avoidance** was difficult owing to the limitations of the sensors and the complexity of the environment. Such a system rarely has better detection limit than 90% regardless.
- Such errors were attributed to litany of reasons including noise, different accents and speech that resulted to misunderstanding of voice commands.

Hardware and Software Components

The important hardware components used in the design of the Artificial Intelligence (AI)-Powered Line Follower Robot with Hurdle Detection and Voice Control are described in this paper. This includes the Arduino UNO microcontroller, L298 motor driver module, ultrasonic sensor, IR sensor, servo motor, BO motors, a 4WD chassis kit, a battery, an IR receiver module, an HC-05 BT module. The paper also provides information on the software Application such as Arduino IDE used for programming and MIT App Inventor used for Simulation, Development, and Mobile Application Creation.

III. Methodologies

The method of carrying out the research includes creation and implementation of an intelligent line following robot which is self-navigating, obstacle avoiding and controllable through voice. The robot follows the specific instructions by mapping the specific route while constantly detecting and avoiding the barriers present. The robot is partially under control through voice commands as well.

Hardware and Software:

- **Hardware:** It is programmed that the robot will also come with an Arduino UNO microcontroller, line sensors, ultrasonic sensors, microphones, motors and power supply.
- **Software:** As for the microcontroller programming, the programming software will be the Arduino IDE and in the mobile platform, MIT App Inventor would be used for developing an application which will be used during manual and autonomous control of the robot.

Control Systems:

- **Line Following:** Sensors on the robot are to be used so that it can stick to a predetermined path as it implements control algorithms such as PID control to facilitate precision tracing.
- **Obstacle Detection:** The robot will be tactical in its movement by virtue of using ultrasonic sensors to identify any such obstacles and take measures to circumvent them.
- **Voice Control:** The system will be designed to enable the acquisition and processing voice commands through the integration of a speech recognition module, thus enabling manual control hence task reconfiguration.

- **Autonomous Operation:** The robot will move and execute all the maneuvers orientated at maintaining the defined trajectory and evading obstacles until disposed of or turned off or located in a situation that cannot be crossed. In such cases, the robot will then only go back where it came from or backtrack to where it originated in search for a new path.

AI Integration:

- **Machine learning:** AI will also be incorporated into the robot so that it can learn and adjust from its past experiences and perform better over time.
- **Decision-making:** In relation to the management of autonomous robots, the Artificial Intelligence system will be in charge of various tasks such as managing the sensors and receiving voice commands and images and making the relevant decisions in real time.

Testing and Evaluation:

- **Simulated environments:** The robot will undergo evaluations carried out in simulated environments to determine its functionality in various circumstances.
- **Real-world scenarios:** The robot will also be taken through real-time efficiency tests to determine how well it can perform in a complex environment.

In line with this approach, we create an autonomous line-following robot that is fully equipped with the capabilities to walk through an area, avoid barriers, and follow verbal messages, which can be useful in many industries.




Figure. 3.1.1 Schematic Diagram




Figure. 3.1.2 Flowchart for Line Follower




Figure. 3.1.3 Flowchart for Obstacle Avoidance

The working of the L298 motor driver is shown in the table given below.

IN 1	IN 2	IN 3	IN 4	Direction
0	0	0	0	Stop
1	0	1	0	Forward
0	1	0	1	Reverse
1	0	0	1	Left
0	1	1	0	Right

Table 3.2.1 Working of L298 Motor Driver

IV. Results and Conclusion

The developed robotic system has improved characteristics as compared to such basic constructions as a line-following robot. It can move along specified trajectories, fully control its movement to avoid obstacles, and even understands spoken utterances. Thanks to the integration of AI systems, the robot is not limited to preset tasks but is capable of recognizing changes in the environment and making decisions accordingly, which surpasses the previous systems.

This study supports the use of AI technologies in line following robots and illustrates some possible application areas of such robots. The robot's navigational autonomy, obstacle avoidance features, and responsiveness to verbal commands are essential to perform works that necessitate accuracy, speed, and versatility.

Even though this research lays out basic principles, additional effort and development are recommended. Upcoming studies could aim at extending the application of the robot in real-world situations, improving the ability of the robot in tolerance to various light conditions, as well as finding other uses of this concept.

We invite readers to consider our results in further research on AI-powered line-following robots.

V. Summary

In this study, a multi-functional line following robot with the abilities of self-navigation, obstacle avoidance and voice control is described. The robot is constructed according to a given design and programmed in the Arduino IDE, and MIT App Inventor. However, there might be limitations to the project, a step towards the growth of AI robots is undertaken. The ability of the robot to not only follow lines but also detect obstacles and respond to voice commands proves that the robot has practical applications.

VI. Future Work

In accordance with the conclusions of this study as well as the existing body of literature, there are still several gaps that need to be addressed. The next stage will be to realize the robot's learning potential, applying deep and reinforcement learning, adding cameras to improve the perception and object recognition, implementing dynamic obstacle and complex terrain avoidance algorithms, embedding context and NLP for the voice interaction, developing the IoT capabilities of the robot and studying the cooperation us and using the robot in domestic and industrial work.

In further detail, one of the suggested future improvements for the robot is a camera whereby the robot would not only be able to map out its surroundings easily but also recognize and locate certain objects, make use of extra details such as augmented reality and texts or pictures, recognize faces in an effort to improve the interaction between the users and the robot and allow users to see how the robot functions.

For these reasons, further studies can extend the available functionality of AI line-following robots which are equipped with hurdle detection and voice control features.

References

1. Kriti Bhagat, Saylee Deshmukh, Shraddha Dhonde, Sneha Ghag publications of International Journal of Science, Engineering and Technology Research (IJSETR), Volume 5, Issue 2, February 2016.
2. Subhranil Som, Arjun Shome by publication Subhranil Som Int. Journal of Engineering Research and Applications, ISSN: 2248-9622, Vol. 4, Issue 6 (Version 3), June 2014.
3. M. S. Islam & M. A. Rahman published by Asian Journal of Applied Science and Engineering, Volume 2, No 2 (2013).
4. Prananjali Koppad, Vishnu Agarwal published by International Journal of Engineering Research & Technology (IJERT), ISSN: 2278-0181, IJERTV3IS090023 Vol. 3 Issue 9, September-2014
5. S. Akash, Bibek Kabi, Mr. S. Karthick published by International Journal of Recent Trends in Engineering, Vol 2, No. 7, November 2009.
6. Juing-Huei Su, Chyi-Shyong Lee, Hsin-Hsiung Huang, Sheng-Hsiung Chuang & Chih-Yuan Lin published by World Transactions on Engineering and Technology Education 2010 WIETE Vol. 8, No. 4, 2010
7. International Journal of Engineering Trends and Technology (IJETT) – Volume 32 Number 5- February 2016. Subankar Roy #1, Tashi Rapden Wangchuk #2, Rajesh Bhatt #3 [8]. Intelligent Line Follower Mini-Robot System Román Osorio C., José A. Romero, Mario Peña C., Ismael López-Juárez, International Journal of Computers, Communications & Control Vol. I (2006), No. 2, pp. 73-83.
8. Development and Applications of Line Following Robot Based Health Care Management System by Deepak Punetha, Neeraj Kumar, Vartika Mehta, International Journal of Advanced Research in Computer Engineering & Technology (IJARCET) Volume 2, Issue 8, August 2013.
9. HCSR04 Ultrasonic Sensor Elijah J. Morgan Nov. 16 2014.
10. Intelligent Line Follower Mini-Robot System Román Osorio C., José A. Romero, Mario Peña C., Ismael López-Juárez, International Journal of Computers, Communications & Control Vol. I (2006), No. 2, pp. 73-83.
11. Development and Applications of Line Following Robot Based Health Care Management System by Deepak Punetha, Neeraj Kumar, Vartika Mehta, International Journal of Advanced Research in Computer Engineering & Technology (IJARCET) Volume 2, Issue 8, August 2013.
12. HCSR04 Ultrasonic Sensor Elijah J. Morgan Nov. 16 2014.
13. SIMPLE DELIVERY ROBOT SYSTEM BASED ON LINE MAPPING METHOD Endrowednes Kuantama, Albert Brian Lewis Lukas and Pono Budi Mardjoko Electrical Engineering, Universities Pelita Harapan, Jl. M.H. Thamrin Boulevard, Lippo Karawaci, Tangerang Indonesia.
14. Obstacle Avoiding Robot By Faiza Tabassum, Susmita Lopa, Muhammad Masud Tarek & Dr. Bilkis Jamal Ferdosi, Global Journal of Researches in Engineering.
15. Han, R., Chen, S., Wang, S., Zhang, Z., Gao, R., Hao, Q., & Pan, J. (2022, July 1). Reinforcement Learned Distributed Multi-Robot Navigation With Reciprocal Velocity Obstacle Shaped Rewards. Institute of Electrical and Electronics Engineers, 7(3), 5896-5903. <https://doi.org/10.1109/Ira.2022.3161699>
16. Orr, J W., & Dutta, A. (2023, March 30). Multi-Agent Deep Reinforcement Learning for Multi-Robot Applications: A Survey. Multidisciplinary Digital Publishing Institute, 23(7), 3625-3625. <https://doi.org/10.3390/s23073625>
17. Wondosen, A., & Shiferaw, D. (2024, January 1). Fuzzy Logic Controller Design for Mobile Robot Outdoor Navigation. Cornell University. <https://doi.org/10.48550/arXiv.2401>.