

Optimizing Workflow Scheduling for Web Servers in Hybrid Cloud Computing: Balancing Delay Sensitivity and Performance Efficiency

¹Er. Manpreet Singh, ¹Er. Akashdeep Singh Rana ²Er. Simran, ¹Er. Hitakshi,

¹Assistant Professor, Department of Computer Science and Engineering, Sant Baba Bhag Singh University, Jalandhar, Punjab

²Research Scholar, Department of CSE, GNA University, Phagwara, Punjab

DOI: <https://doi.org/10.51583/IJLTEMAS.2025.140500082>

Received: 04 June 2025; Accepted: 05 June 2025; Published: 19 June 2025

Abstract: To develop an efficient operations organizing optimization of internet servers that will certainly bring great concessions to satisfy the operations job hold-up prerequisite and also efficiency demand. Techniques: This research provides a delay aware as well as performance-efficient power optimization (DAPEEO) strategy for operations implementation in a diverse atmosphere (i.e., edge-cloud setting). This method offers an operations implementation version which satisfies the application hold-up requirement together with efficiency need. Searching for: Our design has actually been developed to lower the power usage, rise throughput, lower computational price together with computational time to give a delay-aware along with performance-efficient operations design for the internet servers in crossbreed cloud computer. Our design Delay Aware together with Performance Efficient Workflow Scheduling of Web Servers in Hybrid Cloud Computing Environment (DAPEEO) has actually minimized the power intake by 4.217%, raised the throughput by 19.51%, as well as minimize the computational price by 62.38% when contrasted with the existing"" Deadline-Constrained Cost Optimization for Hybrid Clouds (DCOH)"" designs. Even more, the typical power intake revealed a decrease of 40.993% along with 90.384% when contrasted with the DCOH along with Self-Configuring and also Self-Healing of Cloud-based Resources (RADAR) work version specifically. Experiment end result reveals the DAPEEO strategy accomplishes much superior power effectiveness, throughput along with computation set you back decrease when contrasted with the existing operations implementation design. Uniqueness: Existing version fell short to stabilize decreasing expense, as well as conference operations implementation target dates under a varied atmosphere. Beyond, the DAPEEO works in bringing trade-offs in minimizing power dissipation and also conference job target dates with minimized expense under the edge-cloud computer design.

Keywords: Cloud Computer, Edge Cloud, DAPEEO, Power Effectiveness, Without, Expense

INTRODUCTION

Workflow organizing optimization of internet web servers had actually been a location of research study in crossbreed IaaS Cloud (i.e. side-cloud) due to the fact that it is an NP- hard issue. The significant emphasis of typical process organizing typically intends to end up the implementation of the process within the wanted expense as well as to satisfy the deadline. The organizer picks the best-fit properties for the tasks to restrict the expense boost source use, and also minimize the implementation time. In [1] to decrease the usage of power throughout the organizing of process and also to utilize even more cache sources for the appropriation of the jobs an EARU approach has actually been recommended. This version makes use of much less power, time, power for the implementation of the operations when contrasted with the various other existing DVFS process organizing approaches. In [2] utilizing the PSO approach and also formula, ALO has actually been recommended to enhance the process organizing in the cloud atmosphere. In this formula a safety technique DES has actually been utilized to inscribe the cloud information when the organizing procedure is carried out. The trial-and-error results have actually been accomplished in regards to tons harmonizing, make span as well as expense. In [3] to give QoS needs in fog computer, a structure DoSP has actually been recommended which offers the solutions for both the cloud as well as haze nodes. This structure utilizes GA to give the various solutions needed by the individual in haze cloud computer. The major emphasis of this method was to make use of much less price sources in the haze calculating setting. In [4] for the implementation of the operations in an offered target date approach EMMOO has actually been recommended which carries out the process jobs in 2 actions. This technique utilizes the deadline-aware technique to lower the moment and also usage of power. In [5] a study on different cloud computer settings (meta-heuristic, heuristic, and also crossbreed clouds) has actually been done. This study assesses numerous formulas and also techniques utilized for organizing the process. In [6] to settle the issue of safety and security in the process organizing issues, a technique EAFSA based upon EAFSAIPR IC-PCP as well as HECC has actually been suggested. The objective of this technique is to finish the process organizing job within the offered target date with much less power intake as well as to give even more safety. In [7] as the implementation of the process job is much more costly and also takes even more time to implement a technique MOWOS which minimizes the price along with enhances the make span has actually been recommended. In [8] a tons harmonizing job organizing technique, ALTS, for the cloud atmosphere has actually been recommended. As the issue of tons harmonizing is NP-hard the services for each and every issue maintain raising. This approach maps all the inbound jobs to the digital devices to reduce using sources, make span along with SLA infractions. In [9] examined tradeoff optimization of make span and also price for implementing works under cloud computer setting. Below they

provided an enhanced heterogeneous earliest-finish-time (HEFT)- based organizing system specifically, FDHEFT embracing unclear preeminence guideline. Efficiency is examined thinking about both artificial and also real work with excellent make span and also price tradeoffs efficiency when contrasted with common work execution versions. In [10] target date plus price optimization version specifically DCOH for a crossbreed cloud computer atmosphere. DCOH intends to lower the expense of implementation work with due date restraints. Additional designed multi-objective optimization strategy to maximize price coupled with make span all at once. Experiment result reveals the design works in bringing great tradeoffs in between make span plus expense efficiency. Nevertheless, minimizing power intake plays a really vital duty in decreasing the price of work implementation. In [11] provided an energy-aware cpu combining techniques for implementing DAG work with due date restrictions for minimizing power intake under a crossbreed cloud atmosphere. Even more fast energy-aware cpu combining methods is designed for minimizing the computational expenses of energy-aware cpu combining techniques. In [12] designed price as well as energy-aware organizing device for bringing tradeoff efficiency of price as well as power. The formula is made up of the complying with stages such as VM choice, job combining, still VM source reuse plans, as well as slack source optimization for conserving power. Attains much better efficiency than various other existing work designs taking into consideration basic job operations. In [13] provided power plus price optimization organizing technique for implementing data-intensive IoT work under cloud atmosphere. The organizing system is developed making use of historical information of VM source use in various physical equipment. To maximize power dissipation of cloud atmosphere the VM sources are scaled up or down; better, in lowering expense work are implemented with set handling. Their design lowers price coupled with enhances power effectiveness by ensuring work job due date requirement. In [14] concentrated on resolving the dependability need of mission-critical work. Right here a scheduling layout is designed that jointly enhances dependability and also power effectiveness thinking about work QoS requirement. The organizing procedure is made up of the list below phases such as selectivity calculation job collection, time circulation picking collections with ideal V/F degrees. Excellent power effectiveness as well as dependability result is accomplished when contrasted with state-of-art organizing designs. In current time transformative formula such as throng optimization, hereditary formula has actually been made use of for resolving Mult objective organizing trouble in a heterogeneous cloud setting for implementing real-time work [15–19]. Additionally, game theoretic and also Reinforcement Learning (RL) designs have actually likewise been made use of for fixing multi-objective organizing restrictions for process implementation in a cloud setting [20– 22]. In [23] maximized make span coupled with expense by modeling Cooperative Game Theory (CGT)- based organizing approach for performing fairly large workloads. In [24] provided Reinforcement Learning (RL)- based work organizing method with various job selectivity. In [25] incorporated unclear with GT for admission control plus harmonizing lots amongst physical equipment's. In [26] for enhancing the job conclusion time as well as equilibrium lots provided Learning version with heavy goal feature for work organizing on a cloud system. Nevertheless, this version is not assessed thinking about modern-day clinical process.




Fig. 1. Workload execution on cloud computing platform

In [27] provided an independent source administration method specifically RADAR. RADAR is made to take care of unforeseen failing and also vibrant source administration according to work requirements. RADAR decreases implementation time, implementation expense as well as SLA offense when contrasted to the common work implementation design. In [28] revealed ideal mapping amongst job and also source accessibility is required for trusted implementation of huge real-time work; such demand is thought about to be an NP-complete issue (i.e. fell short to acquire an ideal remedy or no specific remedy is acquired). Nevertheless, a significant problem is power effectiveness, make span decrease dependability plus fault-tolerant requirement contemporary data intensive applications. In this job, the work organizing is developed as if it can maximize

make span as well as power specifications per application vibrant need together with source accessibility taking into consideration a multi-core computational structure. Recently numerous work organizing versions have actually existed taking into consideration decreasing power restrictions and also keeping a particular degree of QoS. Nonetheless, existing organizing designs generates high interaction price amongst cpus as a result of high memory source use as well as transmitting expenses. Inter-processor interaction expense is really high utilizing existing strategies along with these formulas are relied on a traditional design which is not reasonable when related to a crossbreed cloud setting [29– 31]. Over the last few years operations organizing taking on cloud computational atmospheres have actually been extensively examined in [31]. For getting rid of study concerns this paper offers a delay-aware and also performance-efficient energy- optimized operations implementation design for a crossbreed cloud setting. The DAPEEO design can satisfy job hold-up criteria and also lessen power intake by efficiently minimizing job failing and also acquiring high-performance effectiveness via the power optimization version. The relevance of the job:

- Offered process implementation design that fulfills application hold- up requirement together with efficiency need.
- The DAPEEO strategy enhances power performance as well as decreases computational prices for a crossbreed cloud atmosphere.

DELAY AWARE AND PERFORMANCE EFFICIENT WORKFLOW EXECUTION MODEL (DAPEEO FOR HYBRID CLOUD ENVIRONMENT)

” This job offers a Delay-Aware plus Performance-Efficient Power Optimization (DAPEEO) method for process implementation in a crossbreed cloud computer setting. The design of the crossbreed cloud setting is displayed in Figure

Initially, the crossbreed cloud system and also process implementation version is defined. Second, the work implementation information transmission version is defined. Finally, the work implementation version making use of the DAPEEO strategy exists.




Fig. 2. The architecture of a Hybrid cloud environment for workload execution

System as well as Workflow Execution on Hybrid Cloud Environment

This job takes into consideration a crossbreed cloud atmosphere for performing the clinical process. Allow's take into consideration there are a collection of IoT tools that are linked for running DAG applications. An instance of such a process is received Figure 1. These gadgets are linked to a side web server for calculating various procedures. Additionally, the side web server is linked cloud setting. The cloud setting is included a collection of host along with online makers as explained listed below The side gadget is likewise included a computer tool for implementing a job, as well as its online equipment is stood for as t_0 . This job thinks that there will certainly be a secure link for the interaction together with estimation procedure. The side web server has both compute-intensive and also due date conscious operations; its efficiency effectiveness together consequently are prerequisite are Spre plus Mpre, specifically. Below the side web server can carry out process (otherwise) can offload it to the cloud setting based upon job efficiency plus target date need. The recommended system design will certainly help with enhancing total system efficiency with very little job failings. The process version is explained as adheres to; the job is separated right into o subtasks. The organization amongst various jobs is stood for as a DAG as adheres to. The subtask in H is represented as follows and each subtask has predefined computational resource requirement as follows where α_j stands for job dimension and also β_j stand for overall handling

component required for finishing the job uj . The process attached sides F is stood for as complies with. As displayed in Figure 1, the side specifies the organization amongst various subtasks coupled with its instructions specify reliances that succeeding subtasks should not be started till the coming before subtasks are finished. For easiness, the complying with notation $prec(uj)$ plus $subseq(uj)$ specifies coming before and also honest subtasks of uj , specifically. The interaction expenses amongst subtask uj and also ul is stood for by the adhering to function $fjl(tk, tm)$. Interaction price depends on the handling component of the cloud setting and also the side web server. Hence, if uj along with ul are not connected the for arbitrary tk as well as tm , $fjl(tk, tm) = 0$. The subtask without honest subtask is stood for as end subtask $uend$ as well as, the subtask without coming before subtask is stood for first job unit.

Workload Data Transmission Model for Hybrid Cloud Environment.

Below every side web server is linked with a cloud web server; therefore, can offload computer of subtask to shadow web server. The interaction data transfer of offloading subtask uj calculating procedure from the side web server to cloud atmosphere tj is stood for as swk as well as is determined making use of the complying with formula.

where X stand for interaction information price, Q specifies transmission power of side web server, and also σ^2 specifies its sound power along with hk explain interaction gain amongst side web server as well as cloud setting tk . The interaction gain is determined utilizing the complying with formula.

where ej represents range amongst the side web server along with cloud atmosphere tk and also γ specifies the course loss element. Therefore the interaction hold-up of offloading subtask uj to shadow web server tk is gotten making use of the complying with formula.

The general power caused by the side web server for offloading subtask uj to shadow web server is computed utilizing the complying with formula.

Workload Execution Model for Hybrid Cloud Environment.

The work is either carried out in the side web server otherwise is offloaded coupled with carried out in the cloud atmosphere. The hold-up generated for work subtask uj implementation in an edge web server atmosphere with the handling aspect G_0 is specified utilizing the complying with formula.

The energy induced for executing a task in an edge server environment is obtained using the following equation represent energy expended by processing element per instance of time.

The hold-up generated for carrying out offloaded work on cloud atmosphere is determined. The estimation ability of the cloud setting is explained as complies with.

The hold-up generated for finishing work implementation is made up of interaction hold-up and also implementation hold-up. Hence the general hold-up for finishing work implementation in the cloud setting is gotten making use of the complying with formula".

For easiness, the delay induced for executing workload locally on edge server or cloud environment is measured using the following equation where $Ms_{jk} = 0$ when $k = 0$. The task failure rate for workload subtask uk considering Poisson distribution on processing element tk is obtained using the following equation The processing efficiency for executing DAG workload is computed as follows(25)

In this work for workload task H execution, the energy consumption is minimized considering reducing delay and improving performance efficiency. Here the energy consumption for executing workload in edge server and on cloud environment is uniformly measured using the following equation

Then, the objective problem can be defined using the following equation

The following constraint must be satisfied by the above- described objective function in achieving an effective workload execution solution

The above equation (20) describes the constraint of total execution delay of workload G must be lesser than given delay bounds.

The bound described in the above equation (21) described the performance efficiency of workload must be higher than given performance efficiency bounds.

The constraint defined in the above equation (22) describes that every subtask can be either executed in an edge server or the cloud environment.

The limitation explained in Formula (23) and also formula (24) defines the doing well subtasks that need to wait till its coming before subtask has actually finished the subtask, where $T(uj)$ is the launching time of a subtask uj . The essence of the suggested technique is to decrease job implementation hold-up together with boost efficiency effectiveness which relies on the particular constraint defined in Eq. (20) to (25); right here the restriction with very little power intake sources are gotten for work implementation in the crossbreed cloud atmosphere. Initially, the subtask is gotten in an higher way for producing subtask series

web server as well as cloud atmosphere. Finally when allowing sources for a subtaskb ubj, discover a handling aspect with very little power established U. Second, get the handling performance, as well as hold-up bounds of every subtask on various handling aspects in side and also power usage, contrasted to existing process organizing approaches which are experimentally shownb expenses as well as pleases the bounds for carrying out subtaskuj. Therefore, the suggested operations organizing strategy can decrease price listed below.

DELAY AWARE AND PERFORMANCE EFFICIENT WORKFLOW EXECUTION MODEL (DAPEEO FOR HYBRID CLOUD ENVIRONMENT)

The experiment is performed to examine the efficiency of Hold-up Aware and also Efficiency Effective Power Optimization (DAPEEO) over existing operations organizing techniques. The existing Deadline-Constrained Cost Optimization for Hybrid Clouds (DCOH) for the Heterogeneous Cloud Computing Environment has actually generally concentrated on decreasing the calculation expense and also makes pan. They have used Deadline-Constrained Cost Optimization to lower the price of the operations in an offered target date by 100.0%. They have actually additionally recommended an additional design Multi-objective Optimization for crossbreed clouds (MOH)to optimize the makes pan and reduce the cost simultaneously generally concentrated on decreasing the expense of implementation SLA violation, as well as implementation time. The major goal of the RADAR is to address the troubles of unanticipated failings as well as likewise to assign the sources to the provided job if there is any kind of failing by a provided web server. The experiment is performed by making use of cyber drink workflow. Power effectiveness, throughput, plus estimation price are thought about for examining efficiency. The IoT-edge web server setting is designed utilizing the SENSORIA simulator as well and the cloud atmosphere is designed to make use of CloudSim as well and is integrated with object-oriented shows language in constructing a crossbreed cloud settings.

Workflow Description

The clinical operations are produced by the Pegasus team, ASKALON. Each operation has various estimation attributes as well as frameworks. These processes are CPU, I/O, as well as memory-intensive in nature. This job assesses the process implementation version making use of the Cyber- shake process; the cyber-shake process is made use of for identifying quake risks utilizing artificial Seismograms by the Southern California Earthquake Center(SCEC). The tasks in cyber-shake are generally memory-hungry plus CPU- intensive. The cyber-shake process is explained in Figure 3. Even more information of the cyber-shake process can be obtained from Google.

Energy Efficiency Performance

Right here experiment is performed to review power effectiveness efficiency accomplished utilizing DAPEEO plus the existing method. Experiments have been carried out by differing Cyber-Shake work dimensions 30, 50, 100, and also 1000. The typical power consumed for implementing work is determined in Watts. Number 4 reveals the result attained by making use of DAPEEO over the DCOH model. From the result, it can be seen proposed DAPEEO achieves much better energy efficiency in comparison with the DCOH work organizing design thinking about different work dimensions. A typical power performance renovation of 20.25% is attained making use of DAPEEO over the DCOH work organizing design. Similarly, the experiment is carried out for 100 plus 1000 work dimensions for reviewing the efficiency of various other existing strategies such as RADAR as well as DCOH as shown in Figure 5. An average energy efficiency performance improvement of 40.993% and also 90.384% is achieved using DAPEEO over DCOH and RADAR workload organizing version specifically. From the outcome, it can be mentioned that DAPEEO is effective for implementing the bigger job.

Throughput

The below experiment is carried out to review throughput efficiency accomplished by making use of DAPEEO as well as the existing technique. The below experiment is carried out by differing Cyber-Shake work dimensions 30, 50, 100, plus 1000. The throughput for applying Workload is measured in terms so formalized percentage. Figure 6 shows the outcome achieved using DAPEEO over the DCOH model. From the result it can be seen proposed DAPEEO achieves much better throughput performance in comparison with the DCOH workload organizing design taking into consideration different work dimensions. A typical throughput efficiency renovation of 79.14% is accomplished utilizing DAPEEO over the DCOH workload scheduling model. From the result, it can be specified that DAPEEO throughput efficiency improves with rises in work dimension. Hence, they are effective for performing an exceptionally large range of work.

Computation Cost

Right here experiment is performed to review calculation expense efficiency attained by making use of DAPEEO as well as existing approaches such as DCOH(10). Here experiment is conducted by varying Cyber-Shake workload sizes 30, 50, 100, and also 1000. The cost incurred for executing the workload is measured under the Microsoft Azure cloud. Figure 7 shows the outcome achieved using DAPEEO over the DCOH model. From the outcome it can be seen suggested that DAPEEO attains a lot far better computation expense efficiency in contrast with the DCOH work organizing version thinking about different work dimensions. A typical computation price decrease of 78.90% is attained utilizing DAPEEO over the DCOH work organizing version. From the outcome, it can be mentioned that DAPEEO computation cost performance obtains lucrative with raising work dimension. Therefore, they are appropriate for provisioning both small and also huge workloads with high earnings.

CONCLUSION

This job provided different operations organizing formulas for cloud plus edge-cloud settings. The Delay Aware as well




Fig. 3. The architecture of a Hybrid cloud environment for workload execution




Fig. 4. Ordinary power consumption comparison of DAPEEO over existing technique utilizing clinical workload Cyber-shake.




Fig. 5. Average energy consumption comparison of DAPEEO over existing workload scheduling method using scientific workload Cyber-shake.




Fig. 6. Throughput contrast of DAPEEO over existing work organizing approach making use of clinical workload Cyber-shake.



Fig. 7. Computation cost comparison of DAPEEO over existing method using scientific workload Cyber-shake

as Efficiency Efficient Workflow Execution(DAPPEO) model provides a technique to raise the performance of the model as well as decrease the expense for the implementation in an offered due date. DAPEEO has decreased the power usage by 4.217% raised the throughput by 19.51% along with minimize the computational price by 62.38% when contrasted to the existing Deadline-Constrained Price Optimization for Hybrid Clouds (DCOH) designs. More the typical power intake revealed a decrease of 40.993% coupled with 90.384% when contrasted to the DCOH and also Self-Configuring as well as Self-Healing of Cloud-based Resources (RADAR) work versions specifically. Specimen end result reveals the DAPEEO strategy attains much premium power performance, throughput as well and estimation price decrease when contrasted to the existing operations implementation design. Future work would consider

Table 1. Comparison table of proposed DAPEEO over existing workflow scheduling approach

	DCOH, 2019 ⁽¹⁰⁾	RADAR, 2019 ⁽²⁷⁾	QRAS, 2021 ⁽³⁰⁾	DAPEEO
Heterogenous cloud	Yes	Yes	No	YES
Scientific workload	Yes	No	No	YES
QoS Metric used for scheduling	Cost and processing time	Cost and reliability	Energy	Energy, Delay, and processing time
Workload type support	Small and medium-large complex workload	Small and medium complex workload	Small and large simple workload	Small and large complex workload
SLA considered	No	No	No	Yes
Fault-tolerant provided	No	Yes	No	Yes

designing of fault-tolerant scheduling algorithm using the soccer league optimization technique for effectively re-using system sources in implementing data-intensive work scheduling on multi-core shadow computer design. The efficiency of both recommended operations organizing plus the existing operations organizing strategy will certainly be assessed making use of data-intensive real-time work such as epigenome will certainly be thought about for examination.

In conclusion, our research underscores the profound impact of artificial intelligence (AI) on revolutionizing healthcare practices. Through the meticulous evaluation of various AI models for disease prediction and symptom assessment, we have elucidated compelling outcomes indicative of AI's transformative potential in healthcare. The commendable accuracies achieved by LSTM, Bidirectional LSTM, and GRU models, coupled with the ensemble model's remarkable efficacy, signify promising advancements in predictive capabilities for healthcare applications. Moreover, our AI- powered chatbot's adeptness in symptom assessment, empowered by natural language processing techniques, highlights the pivotal role of AI in delivering personalized medical advice and enhancing patient care. The demonstrated accuracy progression throughout training further underscores the robustness and reliability of our approach. Overall, our findings advocate for the integration of AI technologies as indispensable tools in augmenting healthcare efficiency, and accessibility, and ultimately, improving patient outcomes. As AI continues to evolve, its potential to revolutionize healthcare paradigms remains vast, offering exciting prospects for future research and innovation.

REFERENCES

1. Jambigi MV. Energy-Aware Resource Utilization Technique for Workflow Scheduling in Cloud Computing Environment. Turkish Journal of Computer and Mathematics Education (TURCOMAT). 2021;12(10):7461–72. Available from: <https://doi.org/10.17762/turcomat.v12i10.5652>.
2. Mathew S, Joy KP. Impact of Monosodium Glutamate and Corticosterone in the Hippocampus: Glucocorticoid Regulation and Caspase-3 mediated Microvascular and Neuronal Apoptosis. The FASEB Journal. 2020;34:1– 1.
3. Sri raghavendra M, Chawla P, Wu H, Gill SS, Buyya R. DoSP: A Deadline-Aware Dynamic Service Placement Algorithm for Workflow-Oriented IoT Applications in Fog-Cloud Computing Environments. In and others editor. Energy Conservation Solutions for Fog- Edge Computing Paradigms. Springer. 2022;p. 21–47.

4. Ijaz S, Munir EU, Ahmad SG, Rafique MM, Rana OF. Energy-makes pan optimization of workflow scheduling in fog–cloud computing. *Computing*. 2021;103(9):2033–2059.
5. Sana MU, Li Z. Efficiency aware scheduling techniques in cloud computing: a descriptive literature review. *PeerJ Computer Science*. 2021;7:e509–e509. Available from: <https://dx.doi.org/10.7717/peerj-cs.509>.
6. Ramathilagam A, Vijayalakshmi K. Workflow scheduling in cloud environment using an ovel meta- heuristic optimization algorithm. *International Journal of Communication Systems*. 2021;34(5):4746–4746.
7. Konjaang JK, Xu L. Multi-objective workflow optimization strategy (MOWOS) for cloud computing. *Journal of Cloud Computing*. 2021;10(1):1–19.
8. Mubeen A, Ibrahim M, Bibi N, Baz M, Hamam H, Cheikhrouhou O. Alts An Adaptive Load Balanced Task Scheduling Approach for Cloud Computing. *Processes*. 2021;9(9):1514–1514.
9. Zhou X, Zhang G, Sun J, Zhou J, Wei T, Hu S. Minimizing cost and making pan for workflow scheduling in the cloud using fuzzy dominance sort- based HEFT. *Future Generation Computer Systems*. 2019;93:278–289. Available from: <https://dx.doi.org/10.1016/j.future.2018.10.046>.
10. Zhou J, Wang T, Cong P, Lu P, Wei T, Chen M. Cost and makes pan-aware workflow scheduling in hybrid clouds. *Journal of Systems Architecture*. 2019;100:101631–101631.
11. Xie G, Zeng G, Li R, Li K. Energy-Aware Processor Merging Algorithms for Deadline Constrained Parallel Applications in Heterogeneous Cloud Computing. *IEEE Transactions on Sustainable Computing*. 2017;2(2):62–75.
12. Li Z, Ge J, Hu H, Song W, Hu H, Luo B. Cost and Energy Aware Scheduling Algorithm for Scientific Workflows with Deadline Constraint in Clouds. *IEEE Transactions on Services Computing*. 2018;11(4):713– 726. Available from: <https://dx.doi.org/10.1109/tsc.2015.2466545>.
13. Wen Y , Wang Z, Zhang Y, Liu J, Cao B, Chen J. Energy and cost aware scheduling with batch processing for instance-intensive IoT workflows in clouds. *Future Generation Computer Systems*. 2019;101:39–50. Available from: <https://dx.doi.org/10.1016/j.future.2019.05.046>.
14. Garg R, Mittal M, Son LH. Reliability and energy efficient workflow scheduling in cloud environment. *Cluster Computing*. 2019;22(4):1283–1297. Available from: <https://dx.doi.org/10.1007/s10586-019-02911-7>.
15. Chunlin L, Jianhang T, Youlong L. Hybrid Cloud Adaptive Scheduling Strategy for Heterogeneous Workloads. *Journal of Grid Computing*. 2019;17(3):419
16. 446. Available from: <https://dx.doi.org/10.1007/s10723-019-09481-3>.
17. Li C, Tang J ,Luo Y. Cost-aware scheduling for ensuring software performance and reliability under heterogeneous workloads of hybrid cloud. *Automated Software Engineering*. 2019;26(1):125–159. Available from: <https://dx.doi.org/10.1007/s10515-019-00252-8>.
18. Zhu Z, Zhang G, Li M, Liu X. Evolutionary Multi- Objective Workflow Scheduling in Cloud. *IEEE Transactions on Parallel and Distributed Systems*. 2016;27(5):1344–1357
19. Rehman A, Hussain SS, Rehman Z, Zia S, Shamshirband S. Multi-objective approach of energy efficient workflow scheduling in cloud environments. *Concurrency and Computation: Practice and Experience*. 2019;31(8):e4949–e4949.
20. Sardaraz M, Tahir M. A parallel multi-objective genetic algorithm for scheduling scientific workflows in cloud computing. *International Journal of Distributed Sensor Networks*.
21. Bertsekas DP. Feature-based aggregation and deep reinforcement learning: a survey and some new implementations. *IEEE/CAA Journal of Automatica Sinica*. 2019;6(1):1–31.
22. Xue L, Sun C, Wunsch D, Zhou Y, Yu F. An adaptive strategy via reinforcement learning for the prisoner dilemma game. *IEEE/CAA Journal of Automatica Sinica*. Switzerland. Springer. 2018;p. 550–559.
23. Wang H, Huang T, Liao X, Abu-Rub H, Chen G.
24. Reinforcement Learning for Constrained Energy Trading Games With Incomplete Information. *IEEE Transactions on Cybernetics*. 2017;47(10):3404–3416.
25. Duan R, Prodan R, Li X. Multi-Objective Game Theoretic Scheduling of Bag-of-Tasks Workflows on Hybrid Clouds. *IEEE Transactions on Cloud Computing*. 2014;2(1):29–42.
26. Cui D, Ke W, Peng Z, Zuo J. Multiple DAGs workflow scheduling algorithm based on reinforcement learning in cloud computing. In: *Computational Intelligence and Intelligent Systems*. Singapore. Springer. 2016;p. 305– 311.
27. Iranpour E, Sharifian S. A distributed load balancing
28. and admission control algorithm based on Fuzzy type-2 and Game theory for large-scale SaaS cloud architectures. *Future Generation Computer Systems*. 2018;86:81–98.
29. Jiahao W, Zhiping P, Delong C, Qirui L, Jieguang H. A multi object optimization cloud workflow scheduling algorithm based on reinforcement learning. In: *Intelligent Computing Theories and Application*; vol. Cham, Switzerland. Springer.
30. Gill SS, Chana I, Singh M, Buyya R. RADAR: Self- configuring and self-healing in resource management for enhancing quality of cloud services. *Concurrency and Computation: Practice and Experience*. 2019;31(1):e4834–e4834.
31. Abdulhamid SM, Latiff MSA, Abdul-Salaam G, Madni SHH. Secure Scientific Applications Scheduling Technique for Cloud Computing Environment Using Global League Championship Algorithm. *PLOS ONE*. 2016;11(7):e0158102–

e0158102.

32. Lu Y, Sun N. An effective task scheduling algorithm based on dynamic energy management and efficient resource utilization in green cloud computing environment. *Cluster Computing*. 2019;22(S1):513– 520.
33. Singh H, Bhasin A, Kaveri P R. QRAS efficient resource allocation for task scheduling in cloud computing. *SN Applied Sciences*. 2021;3(4).
34. Lis A, Sudolska A, Pietryka I, Kozakiewicz A. Cloud Computing and Energy Efficiency: Mapping the Thematic Structure of Research. *Energies*. 2020;13(16):4117–4117.